

# HIRUNDO CAPENSIS.



## CHARACTER GENERICUS.

*Rostrum* minimum, incurvum, subulatum, basi depressum.

*Rictus* capite amplior.

*Lin. Syst. Nat.* p. 343.

## CHARACTER SPECIFICUS, &c.


**HIRUNDO** nigro-cærulescens, subtus ochroleuca lineolis fuscis, pileo uropygioque rufis.


**HIRUNDO** Capensis. *H.* nigro-cærulescens, subtus flavescens nigricante striata, pileo rufo, rectricibus lateralibus macula alba.

*Lath. ind. orn.* p. 574.

---

Juxta veram magnitudinem in tabula depingitur *Hirundo Capensis*, in Africa australi, ut plurimum, reperta.







W. L. G. - 1861

THE

## CAPE SWALLOW.



### GENERIC CHARACTER.

*Bill* very small, incurved, subulate, depressed at the base.

*Gape* wider than the head.

### SPECIFIC CHARACTER, &c.

Blueish-black SWALLOW, yellowish white beneath with small dusky streaks, with the top of the head and rump rufous.

HIRONDELLE au capuchon roux.

*Buff. ois.* 6. p. 608.

CAPE SWALLOW.

*Lath. Syn.* 2. p. 566.

---

This species of Swallow, which the plate represents in its natural size, is chiefly found in the Southern parts of Africa.